

L Number	Hits	Search Text	DB	Time stamp
1	1457	partition\$4 near3 data and data\$base	USPAT; EPO; JPO	2003/12/08 13:30
2	1249	partition\$4 near3 data and data\$base and receiv\$4	USPAT; EPO; JPO	2003/12/08 13:31
3	44	partition\$4 near3 data and data\$base and receiv\$4 and average adj value	USPAT; EPO; JPO	2003/12/08 13:31
4	11	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value	USPAT; EPO; JPO	2003/12/08 13:32
5	1968235	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum value	USPAT; EPO; JPO	2003/12/08 13:32
6	6	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value	USPAT; EPO; JPO	2003/12/08 13:32
7	0	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value and uniform\$4 with distribut\$4	USPAT; EPO; JPO	2003/12/08 13:32
8	1	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value and uniform\$4	USPAT; EPO; JPO	2003/12/08 13:33
9	0	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value and uniform\$4 and straight	USPAT; EPO; JPO	2003/12/08 13:33
10	2	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value and straight	USPAT; EPO; JPO	2003/12/08 13:33
11	0	partition\$4 near3 data and data\$base and receiv\$4 and average adj value and maximum adj value and minimum adj value and straight adj line	USPAT; EPO; JPO	2003/12/08 13:34
12	0	partition\$4 near3 data and data\$base and average adj value and maximum adj value and minimum adj value and straight adj line	USPAT; EPO; JPO	2003/12/08 13:34
13	0	partition\$4 near3 data and data\$base and average adj value and maximum with value and minimum with value and straight with line	USPAT; EPO; JPO	2003/12/08 13:34
14	28	partition\$4 near3 data and data\$base and average adj value and maximum with value and minimum with value	USPAT; EPO; JPO	2003/12/08 13:34
15	0	partition\$4 near3 data and data\$base and average adj value and maximum with value and minimum with value and defin44 with line	USPAT; EPO; JPO	2003/12/08 13:34
16	1	partition\$4 near3 data and data\$base and average adj value and maximum with value and minimum with value and defin\$4 with line	USPAT; EPO; JPO	2003/12/08 13:35
17	12	partition\$4 near3 data and average adj value and maximum with value and minimum with value and defin\$4 with line	USPAT; EPO; JPO	2003/12/08 13:36
18	0	partition\$4 near3 data and average adj value and maximum with value and minimum with value and defin\$4 with straight near3 line	USPAT; EPO; JPO	2003/12/08 13:35
19	0	partition\$4 near3 data and average adj value and maximum with value and minimum with value and defin\$4 with line with segment	USPAT; EPO; JPO	2003/12/08 13:36
20	2	partition\$4 near3 data and average adj value and maximum with value and minimum with value and defin\$4 with line and uniform	USPAT; EPO; JPO	2003/12/08 13:37

21	665	defin\$4 with straight\$line	USPAT; EPO; JPO	2003/12/08 13:37
22	76	defin\$4 with straight\$line with segment	USPAT; EPO; JPO	2003/12/08 13:38
23	9	defin\$4 with straight\$line with segment and average with value	USPAT; EPO; JPO	2003/12/08 13:39
24	12	defin\$4 with straight\$line with segment and minimum with value	USPAT; EPO; JPO	2003/12/08 13:38
25	14	defin\$4 with straight\$line with segment and maximum with value	USPAT; EPO; JPO	2003/12/08 13:38
26	2	(defin\$4 with straight\$line with segment and average with value) and (defin\$4 with straight\$line with segment and minimum with value) and (defin\$4 with straight\$line with segment and maximum with value)	USPAT; EPO; JPO	2003/12/08 13:38
28	2	defin\$4 with straight\$line with segment and average with value and minimum with value and maximum with value	USPAT; EPO; JPO	2003/12/08 13:39
27	3	defin\$4 with straight\$line with segment and average with value and minimum with value	USPAT; EPO; JPO	2003/12/08 13:39
29	1	partition\$4 with data and defin\$4 with straight\$line with segment	USPAT; EPO; JPO	2003/12/08 13:41
30	3	partition\$4 with data and defin\$4 with straight\$line	USPAT; EPO; JPO	2003/12/08 13:41
31	68	partition\$4 with data and defin\$4 with line with segment	USPAT; EPO; JPO	2003/12/08 13:52
33	4	partition\$4 with data and defin\$4 with line with segment and (average and minimum and maximum) with value	USPAT; EPO; JPO	2003/12/08 13:44
34	1	partition\$4 with data and defin\$4 with line with segment and (average and minimum and maximum) with value and data\$base	USPAT; EPO; JPO	2003/12/08 13:46
35	1	partition\$4 with data and defin\$4 with line with segment and (average and minimum and maximum) with value and data\$base and straight\$line	USPAT; EPO; JPO	2003/12/08 13:46
36	0	partition\$4 with data and defin\$4 with line with segment and (average and minimum and maximum) with value and data\$base and straight\$line and distribution	USPAT; EPO; JPO	2003/12/08 13:47
37	1	partition\$4 with data and defin\$4 with line with segment and (average and minimum and maximum) with value and data\$base and straight\$line and distribut\$4	USPAT; EPO; JPO	2003/12/08 13:47
32	12	partition\$4 with data and defin\$4 with line with segment and average and minimum and maximum	USPAT; EPO; JPO	2003/12/08 13:52
38	13	partition\$4 with data and defin\$4 with line with segment and data\$base	USPAT; EPO; JPO	2003/12/08 13:52
39	3	partition\$4 with data and defin\$4 with line with segment and data\$base and average	USPAT; EPO; JPO	2003/12/08 13:52
40	1	partition\$4 with data and defin\$4 with line with segment and data\$base and average and minimum	USPAT; EPO; JPO	2003/12/08 13:52
41	1	partition\$4 with data and defin\$4 with line with segment and data\$base and average and minimum and maximum	USPAT; EPO; JPO	2003/12/08 15:10
42	0	partition\$4 with data and defin\$4 with straight adj line with segment and break\$point	USPAT; EPO; JPO	2003/12/08 13:55
43	10	defin\$4 with straight adj line with segment and break\$point	USPAT; EPO; JPO	2003/12/08 13:55
44	1	defin\$4 with straight adj line with segment and break\$point and partition\$4	USPAT; EPO; JPO	2003/12/08 13:55

45	1	defin\$4 with straight adj line with segment and break\$point and.partition\$4 and data\$base	USPAT; EPO; JPO	2003/12/08 15:02
46	3	defin\$4 with line with segment and break\$point and partition\$4 and data\$base	USPAT; EPO; JPO	2003/12/08 13:56
47	1	break\$point and straight\$line and straight and partition\$4 with data	USPAT; EPO; JPO	2003/12/08 14:00
52	124	line adj segment and break\$point	USPAT; EPO; JPO	2003/12/08 15:03
53	11	partition\$4 with data and line adj segment and break\$point	USPAT; EPO; JPO	2003/12/08 15:05
54	4	partition\$4 with data and line adj segment and break\$point and maximum and minimum and average	USPAT; EPO; JPO	2003/12/08 15:04
55	4	partition\$4 with data and line adj segment and break\$point and maximum and minimum and average and data\$base	USPAT; EPO; JPO	2003/12/08 15:04
57	4	partition\$4 with data and line adj segment and break\$point and maximum and minimum and average	USPAT; EPO; JPO	2003/12/08 15:05
56	11	partition\$4 with data and line adj segment and break\$point and maximum and minimum	USPAT; EPO; JPO	2003/12/08 15:06
58	1	partition\$4 with data and defin\$4 with line with segment and data\$base and average and minimum and maximum and defin\$4 with point	USPAT; EPO; JPO	2003/12/08 15:10
-	358	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client	USPAT; EPO; JPO	2003/03/27 14:18
-	358	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and average near value	USPAT; EPO; JPO	2002/09/16 08:46
-	18	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and average near value	USPAT; EPO; JPO	2002/09/16 08:46
-	6	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and average near value and (min minimum) near value	USPAT; EPO; JPO	2002/09/16 08:49
-	6	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value	USPAT; EPO; JPO	2002/09/16 08:50
-	4	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value	USPAT; EPO; JPO	2002/09/16 08:50
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and uniform near distribut\$3	USPAT; EPO; JPO	2002/09/16 08:51
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and uniform	USPAT; EPO; JPO	2002/09/16 08:51
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight\$line	USPAT; EPO; JPO	2002/09/16 08:51
-	2	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight	USPAT; EPO; JPO	2002/09/16 08:51

-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and break\$point	USPAT; EPO; JPO	2002/09/16 08:52
-	2	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3	USPAT; EPO; JPO	2003/03/27 11:22
-	121	707/\$.ccls. and data\$base and receiv\$3 near data and characteristic and partition\$3 and client	USPAT; EPO; JPO	2002/09/16 09:14
-	40	707/\$.ccls. and data\$base and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client	USPAT; EPO; JPO	2002/09/16 09:15
-	28	707/\$.ccls. and data\$base and receiv\$3 near data and characteristic and partition\$3 and client near system	USPAT; EPO; JPO	2002/09/16 09:14
-	0	707/\$.ccls. and data\$base and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client and min near value and max near value and ave near value	USPAT; EPO; JPO	2002/09/16 09:16
-	1	707/\$.ccls. and data\$base and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client and min near value and max near value and average near value	USPAT; EPO; JPO	2002/09/16 09:16
-	2	707/\$.ccls. and data\$base and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client and min near value and max near value	USPAT; EPO; JPO	2002/09/16 09:18
-	4	707/\$.ccls. and data\$base and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client and min near value	USPAT; EPO; JPO	2002/09/16 09:22
-	4	707/\$.ccls. and data\$base and receiv\$3 and receiv\$3 near data and receiv\$3 near information and characteristic and partition\$3 and client and min near value	USPAT; EPO; JPO	2002/09/16 10:02
-	12	707/\$.ccls. and partition\$4 near data.ti.	USPAT; EPO; JPO	2002/09/16 10:05
-	3	707/\$.ccls. and partition\$4 near data.ti. and rdbms	USPAT; EPO; JPO	2002/09/16 10:03
-	3	707/\$.ccls. and partition\$4 near data.ti. and receiv\$3 near data	USPAT; EPO; JPO	2002/09/16 10:06
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and receiv\$4 near ave\$5	USPAT; EPO; JPO	2002/09/16 14:54
-	5	707/\$.ccls. and data\$base and break\$point and straight\$line	USPAT; EPO; JPO	2002/09/16 14:57
-	4	707/\$.ccls. and data\$base and break\$point and straight\$line and straight and ave\$4	USPAT; EPO; JPO	2002/09/16 14:57
-	4	707/\$.ccls. and data\$base and break\$point and straight\$line and straight and ave\$4 and min\$4	USPAT; EPO; JPO	2002/09/16 14:58
-	0	707/\$.ccls. and data\$base and break\$point and straight\$line and straight and ave\$4 and min\$4 and max\$4 and distribut\$4	USPAT; EPO; JPO	2002/09/16 15:01
-	1	707/\$.ccls. and data\$base and break\$point and straight\$line and straight and ave\$4 and min\$4 and max\$4	USPAT; EPO; JPO	2002/09/16 15:01

-	5	707/\$.ccls. and data\$base and break\$point and straight\$line and straight	USPAT; EPO; JPO	2002/09/17 08:18
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and execut\$3 near organiz\$3	USPAT; EPO; JPO	2002/09/16 15:48
-	7687	707/\$.ccls. and data\$base organiz\$4 near data and execut\$3 near algorithm	USPAT; EPO; JPO	2002/09/16 15:48
-	28	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm	USPAT; EPO; JPO	2002/09/16 15:49
-	17	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm and partition	USPAT; EPO; JPO	2002/09/16 15:49
-	0	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm and partition and algorithm near organize	USPAT; EPO; JPO	2002/09/16 15:49
-	0	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm and partition and algorithm near organiz\$32	USPAT; EPO; JPO	2002/09/16 15:50
-	0	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm and partition near data	USPAT; EPO; JPO	2002/09/16 15:50
-	17	707/\$.ccls. and data\$base and organiz\$4 near data and execut\$3 near algorithm and partition	USPAT; EPO; JPO	2002/09/16 15:50
-	5	707/\$.ccls. and break\$point and straight\$line and straight	USPAT; EPO; JPO	2002/09/17 08:20
-	28	break\$point and straight\$line and straight	USPAT; EPO; JPO	2003/12/08 13:59
-	0	break\$point and straight\$line and straight and defin\$3 near straight\$5 near segment	USPAT; EPO; JPO	2002/09/17 08:21
-	0	break\$point and straight\$line and straight and defin\$3 near straight\$5	USPAT; EPO; JPO	2002/09/17 08:21
-	4	break\$point and straight\$line and straight and straight\$5 near segment	USPAT; EPO; JPO	2002/09/17 08:59
-	1	break\$point and straight\$line and straight and straight\$5 near segment and (min minimum) near value	USPAT; EPO; JPO	2002/09/17 08:28
-	2	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and servers with data\$base	USPAT; EPO; JPO	2003/03/27 13:51
-	0	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and servers with data\$base and search\$4 same result	USPAT; EPO; JPO	2003/03/27 13:52
-	2	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and servers with data\$base and quer\$4 same result	USPAT; EPO; JPO	2003/03/27 13:53
-	2	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and (ave average) near value and (min minimum) near value and (max maximum) near value and straight and divid\$3 and servers with data\$base and quer\$4 with result	USPAT; EPO; JPO	2003/03/27 13:54

-	16	707/\$.ccls. and data\$base and receiv\$3 and characteristic and partition\$3 and client and organizational with (information data)	USPAT; EPO; JPO	2003/03/27 14:20
-	4317	reduc\$4 with server	USPAT; EPO; JPO	2003/12/03 15:00
-	17902	receiv\$4 with data and stor\$4 with data\$base	USPAT; EPO; JPO	2003/12/03 14:12
-	6307	receiv\$4 with data and stor\$4 with data\$base and information with (associat\$4 relat\$4) with data	USPAT; EPO; JPO	2003/12/03 14:13
-	1547	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data	USPAT; EPO; JPO	2003/12/03 14:13
-	18	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with storage	USPAT; EPO; JPO	2003/12/03 15:21
-	7	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with storage and query	USPAT; EPO; JPO	2003/12/03 14:57
-	1	(reduc\$4 with server) and (receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with storage and query)	USPAT; EPO; JPO	2003/12/03 14:14
-	16	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with (storage data\$base) and query	USPAT; EPO; JPO	2003/12/03 14:58
-	1	(receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with (storage data\$base) and query) and (reduc\$4 with server)	USPAT; EPO; JPO	2003/12/03 14:58
-	15	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with (storage data\$base) and query and plural\$4	USPAT; EPO; JPO	2003/12/03 14:59
-	5	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with (storage data\$base) and query and plural\$4 and data with characteristic	USPAT; EPO; JPO	2003/12/03 14:59
-	1	(receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with (storage data\$base) and query and plural\$4 and data with characteristic) and (reduc\$4 with server)	USPAT; EPO; JPO	2003/12/03 14:59
-	125	reduc\$4 with data adj server	USPAT; EPO; JPO	2003/12/03 15:00
-	38	reduc\$4 with number with data adj server	USPAT; EPO; JPO	2003/12/03 15:08
-	10	reduc\$4 adj number adj server	USPAT; EPO; JPO	2003/12/03 15:09
-	6	(reduc\$4 decreas\$4) adj number adj server and partition\$4	USPAT; EPO; JPO	2003/12/03 15:12
-	0	(reduc\$4 decreas\$4) adj number adj server same partition\$4	USPAT; EPO; JPO	2003/12/03 15:10
-	0	(reduc\$4 decreas\$4) adj number adj server and query with partition\$4	USPAT; EPO; JPO	2003/12/03 15:13
-	2	(reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server	USPAT; EPO; JPO	2003/12/03 15:13

-	0	receiv\$4 with data and stor\$4 with data\$base and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with storage and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server	USPAT; EPO; JPO	2003/12/03 15:21
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 with storage and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server	USPAT; EPO; JPO	2003/12/03 15:21
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with (associat\$4 relat\$4) with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server	USPAT; EPO; JPO	2003/12/03 15:22
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server	USPAT; EPO; JPO	2003/12/04 09:11
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic	USPAT; EPO; JPO	2003/12/03 15:53
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4	USPAT; EPO; JPO	2003/12/04 09:11
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4	USPAT; EPO; JPO	2003/12/04 09:04
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information and partition\$4 and (reduc\$4 less\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4	USPAT; EPO; JPO	2003/12/04 09:04
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 adj information	USPAT; EPO; JPO	2003/12/04 09:12
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 with information	USPAT; EPO; JPO	2003/12/04 09:12

-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 with instruction	USPAT; EPO; JPO	2003/12/04 09:12
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 with rule	USPAT; EPO; JPO	2003/12/04 09:13
-	2	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 with data	USPAT; EPO; JPO	2003/12/04 09:13
-	0	receiv\$4 with data and stor\$4 and receiv\$4 with information with data and partition\$4 and (reduc\$4 decreas\$4) adj number adj server and query and partition\$4 and select\$4 with server and characteristic and information adj associat\$4 and partition\$4 with descri\$6	USPAT; EPO; JPO	2003/12/04 09:36
-	2356	partition\$4 with data and partition\$4 with (data\$base storage)	USPAT; EPO; JPO	2003/12/04 09:37
-	966	partition\$4 with data and partition\$4 with (data\$base storage) and partition\$4 with (information instruction)	USPAT; EPO; JPO	2003/12/04 09:38
-	121	partition\$4 with data and partition\$4 with (data\$base storage) and receiv\$4 with partition\$4 with (information instruction)	USPAT; EPO; JPO	2003/12/04 09:38
-	62	partition\$4 with data and partition\$4 with (data\$base storage) and receiv\$4 with partition\$4 with (information instruction) and (data\$base storage) with control\$4	USPAT; EPO; JPO	2003/12/04 09:39
-	14	partition\$4 with data and partition\$4 with (data\$base storage) and receiv\$4 with partition\$4 with (information instruction) and (data\$base storage) with control\$4 and partition\$4 with (routine algorithm)	USPAT; EPO; JPO	2003/12/04 09:43
-	4	partition\$4 with data and partition\$4 with (data\$base storage) and receiv\$4 with partition\$4 with (information instruction) and (data\$base storage) adj control\$4 and partition\$4 with (routine algorithm)	USPAT; EPO; JPO	2003/12/04 09:52
-	0	partition\$4 with data and partition\$4 with (data\$base storage) and receiv\$4 with partition\$4 with (information instruction) and (data\$base storage) adj control\$4 and partition\$4 with (routine algorithm) and characteristic	USPAT; EPO; JPO	2003/12/04 09:48
-	1	partition\$4 near3 data and partition\$4 near3 (data\$base storage) and receiv\$4 near3 partition\$4 with (information instruction) and (data\$base storage) near3 control\$4 and partition\$4 near3 (routine algorithm)	USPAT; EPO; JPO	2003/12/08 13:30